



NEW YORK | NEW JERSEY | MIAMI

Eggshell




**Chevron** GLAELEGCHEV



**Brick** GLAELEGBRK



Arabesque GLAELEGARAB



**Ovals** GLAELEGOVAL

Heather



**Chevron** GLAELHECHEV




**Brick** GLAELHEBRK



Arabesque GLAELHEARAB



**Ovals** GLAELHEOVAL



APPLICATION	INTERIOR			EXTERIOR		
	R	LC	HC	R	LC	HC
Walls/Backsplashes	Х	Х	Х			
Floors*	Х					
Countertops	Х					
Submerged Areas	Х	Х	Х			
R - Residential LC - Light Commercial			cial	HC - Heavy Commercial		

\*Interior Residential Light Duty Floors

## SEALING & MAINTENANCE

To avoid grout seeping into the crackle finish, it is recommended that this tile be sealed with Stone Care International<sup>™</sup> Penetrating Sealer, Fila MP90® sealer, or similar product. Please test on a small area before applying. Use a non-abrasive cloth and nuetral detergents for cleaning. Avoid acid detergents, chemicals and solvents.

INSTALLATION	СВ	EB			
Mortar	Х				
Grout	Х				

CB - Cement Base EB - Epoxy Base

Glass Tile may be susceptible to scratching in handling and installation, as well as use. Expect variation of color from production run to production run. Please refer to the TCNA HANDBOOK for more specific information regarding installation.