

Renaissance

slabs & tiles collection




COBSA-USA

NEW YORK | NEW JERSEY | MIAMI



Azul Macauba

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMAAM4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>



Bardiglio

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMABA4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>



Calacatta

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMACA4896L

11 Faces + 2 Book-Matched Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>

1/4" (6mm) Polished Porcelain Slabs



Crema Marfil

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMACR4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>

1/4" (6mm) Polished Porcelain Slabs



Dolomite

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMADO4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>

1/4" (6mm) Polished Porcelain Slabs



Statuario


48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPMAST4896L


11 Faces + 2 Book-Matched Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>



Onyx Beige


48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPONBE4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in 48"x96" (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>



Onyx White


48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPONWH4896L


11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in 48"x96" (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>63" x 63" 160 x 160 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 31 1/2" 80 x 80 cm</p>  </div> </div>



Rio Black

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPRIBK4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> </div>



Rio Grey


48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPRIGR4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> </div>



Rio White

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)



SLPRIWH4896L

11 Faces | V2 Moderate Shade Variation | DCOF: >0.42 | Matte Finish available in all sizes (special order only)

Stock	Non-Stock (special order items: allow 4-6 weeks for delivery / 10 slab minimum)
<p>48" x 96" (nominal) 47 1/4" x 94 1/2" 120 x 240 cm</p> 	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>63" x 126" 160 x 320 cm</p>  </div> <div style="text-align: center;"> <p>31 1/2" x 63" 80 x 160 cm</p>  </div> <div style="text-align: center;"> <p>47 1/4" x 47 1/4" 120 x 120 cm</p>  </div> </div>

Book-Matched Slabs

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)

Calacatta A



SLPMACA4896LA

Calacatta B



SLPMACA4896LB

Esempio 1 / Example 1



Esempio 2 / Example 2




Esempio 3 / Example 3



Esempio 4 / Example 4



CALACATTA SLAB A - B 320 x 160 - 126 x 63" LAP. RET.
CALACATTA 320 x 160 - 126 x 63" LAP. RET.



Book-Matched Slabs

48" x 96" nominal (47 1/4" x 94 1/2" actual, 120x240 cm)

Statuario A



SLPMAST4896LA

Statuario B



SLPMAST4896LB


Esempio 1 / Example 1



Esempio 2 / Example 2




Esempio 3 / Example 3



Esempio 4 / Example 4



STATUARIO SLAB A - B 320 x 160 - 126" x 63" LAP. RET.
STATUARIO 320 x 160 - 126" x 63" LAP. RET. / 160 x 160 - 63" x 63" LAP. RET.



3/8" (10mm) Polished + Matte Porcelain

Wall & Floor Tile

24" x 48" nominal (23 5/8" x 47 1/4" actual, 60x120 cm)

Azul Macauba
20 faces



P: ELERNAM2448L
M: **Non-Stock**

Bardiglio
21 faces



P: ELERNBA2448L
M: **Non-Stock**

Calacatta
30 faces



P: ELERNCA2448L
M: ELERNCA2448

Crema Marfil
25 faces



P: ELERNCR2448L
M: **Non-Stock**

Dolomite
21 faces



P: ELERNDO2448L
M: ELERNDO2448

Statuario
30 faces



P: ELERNST2448L
M: ELERNST2448

24" x 24" nominal (23 5/8" x 23 5/8" actual, 60x60 cm)

Azul Macauba
40 faces



P: **Non-Stock**
M: **Non-Stock**

Bardiglio
42 faces



P: **Non-Stock**
M: **Non-Stock**

Calacatta
26 faces



P: ELERNCA24L
M: ELERNCA24

Crema Marfil
50 faces



P: ELERNCR24L
M: **Non-Stock**

Dolomite
42 faces



P: ELERNDO24L
M: ELERNDO24

Statuario
30 faces



P: ELERNST24L
M: ELERNST24

3" x 24" bullnose

Azul Macauba



P: ELERNAMBN324L

Bardiglio



P: ELERNBABN324L

Calacatta



P: ELERNCABN324L
M: ELERNCABN324

Crema Marfil



P: ELERNCRBN324L

Dolomite



P: ELERNDOBN324L
M: ELERNDOBN324

Statuario



P: ELERNSTBN324L
M: ELERNSTBN324

3/8" (10mm) Polished + Matte Porcelain

Wall & Floor Tile

24" x 48" nominal (23 5/8" x 47 1/4" actual, 60x120 cm)

Onyx Beige
26 Faces



P: ELERNOB2448L
M: **Non-Stock**

Onyx White
26 Faces



P: ELERNOW2448L
M: **Non-Stock**

Rio Black
28 Faces



P: ELERNRK2448L
M: **Non-Stock**

Rio Grey
28 Faces



P: ELERNRG2448L
M: **Non-Stock**

Rio White
26 Faces



P: ELERNRW2448L
M: **Non-Stock**

3" x 24" bullnose

Onyx Beige



P: ELERNOBBN324L

Onyx White



P: ELERNOWBN324L

Rio Black



P: ELERNRKBN324L

Rio Grey



P: ELERNRGBN324L

Rio White



P: ELERNRWBN324L



P: Polished Finish

M: Matte Finish

Non-Stock: special order items - allow 4-6 weeks for delivery






Suggested Applications



Installation Suggestions



Porcelain Type



Shade Variation



Slip Resistance



COF	WET		DRY		DCOF	DIN 51130	DIN 51097 Class	Typical Applications	Critical Angle	
	standard*	result	standard*	result						
accessible routes	.6		.6			<input checked="" type="checkbox"/> R9*	3-10°	<input checked="" type="checkbox"/> A	Barefoot, but mainly dry aisles and walkways, dry changing areas	≥12°
ramps	.8		.8			<input type="checkbox"/> R10	10-19°	<input type="checkbox"/> B	Shower rooms, pool surrounds, wet changing areas, disinfectant spray areas (plus all Class A areas)	≥18°
						<input type="checkbox"/> R11	19-27°	<input type="checkbox"/> C	Areas constantly under water, e.g. steps into pools, foot baths, inclined pool surrounds, jacuzzis (plus all Class A&B areas)	≥24°
						<input type="checkbox"/> R12	27-35°			
						<input type="checkbox"/> R13	>35°			

*Industry Standard/ADA Requirements

Values | Tile Classification

0 - 0.50	Questionable
0.50 - 0.60	Conditionally Slip Resistant
> 0.60	Slip Resistant

*rating not available in polished finish

ASTM C-1028
DIN 51097/51130

Scratch Resistance



Mineral	
1. Talc (Talc)	6. Microline (Glass, Glazed Tile)
2. Gypsum (Fingernail)	7. Quartz (Unglazed Porcelain)
3. Calcite (Penny)	8. Topaz (Granite)
4. Flourite (Some Marbles)	9. Corundum (Ruby)
5. Apatite (Knife Blade)	10. Diamond (Diamond)

Industry standard ≤175mm²

MOH'S SCALE **6**
UNI EN ISO 10545.6 **123**

Wear Resistance

- Class 1: Walls only
- Class 2: Resid. floors w/minimal abrasive traffic.
- Class 3: Resid. interiors normal use and foot traffic.
- Class 4: Light-medium commercial applications.
- Class 5: Commercial applications.

PEI RATING
UNI EN ISO 10545.7

Stain Resistance

- 5: Removed after 5 minutes (hot water running)
- 4: Removed by manual cleaning (weak detergent)
- 3: Removed by mechanical cleaning (strong detergent)
- 2: Removed by immersion (24 hrs in suitable solvent)
- 1: Stain not removed

ASTM C1378-04
UNI EN ISO 10545.14 **5**

Water Absorption

ASTM C-373
UNI EN ISO 10545.3

Water Absorption	Impervious	Vitreous	Semi-Vitreous	Non-Vitreous
<input checked="" type="checkbox"/> Absorbs 0-.5%	<input type="checkbox"/> Absorbs .5-3%	<input type="checkbox"/> Absorbs 3-7%	<input type="checkbox"/> Absorbs 7% +	
Interior/exterior Frost Resistant	Interior/exterior Frost Resistant	Indoor use only	Indoor use only	

Breaking Strength



Industry standard should be greater than 250 lbs or 50 N/MM²

ASTM C648
UNI EN ISO 10545.4

Facial Dimension

ASTM C499-09
UNI EN ISO 10545.02

	Standard	Tolerance	Result
flatness	±5mm	±.5%	
thickness	±6mm	±.5%	
straightness	±4.5mm	±.5%	
squareness	±5.4mm	±.6%	
sides L/W	±1.1mm ±4.5mm	±.5%	

Chemical Resistance

ASTM C650
UNI EN ISO 10545.13

Allowances for:

	result
acid	ULA
bases	UA
chemicals	UHA

Leed Information



REQUIREMENTS FOR COMMERCIAL INTERIORS/NEW CONSTRUCTION

Sustainable Sites	1 Point
Site selection	
SS CREDIT 1 Heat Island Effect-non roof	<input type="checkbox"/>
Material with a solar reflectant index of at least 29.	
Energy & Atmosphere	1 Point
EA CREDIT 4 Green Power: Products that optimize energy performance for floors and walls using thermal conductivity. BTU-FT	<input type="checkbox"/>
Indoor Environmental Quality	1 Point
Low-Emitting Materials-Flooring Systems	
IEQ CREDIT 3.1-7 Green Cleaning: Reducing occupants exposure to hazardous cleaning chemicals.	<input type="checkbox"/>
IEQ CREDIT 4.1 Low Emitting Adhesives: Products less than 65 G/L VOC	<input type="checkbox"/>
IEQ CREDIT 4.3 Low Emitting Materials: Flooring systems.	<input type="checkbox"/>

Materials & Resources	1 Point	2 Points
M&R CREDIT 2 Construction Waste Management: Recycling salvaged construction waste in to new reusable materials.	50% <input type="checkbox"/>	70% <input type="checkbox"/>
M&R CREDIT 4.1-4.2 Recycled Content: The sum of post consumer plus 1/2 of the pre consumer reps at least 10-20% of total value of materials.	10% <input type="checkbox"/>	20% <input type="checkbox"/>
M&R CREDIT 5 Regional Materials: Materials manufactured within 500 miles of the project site.	10% <input type="checkbox"/>	20% <input type="checkbox"/>
Innovation in Design	1-5 Points	
ID CREDIT 1 Innovation in Design Measurable exemplary environmental performance.	<input type="checkbox"/>	

Type: 24x48, 24x24
Porcelain Polished Finish

Product Line: RENAISSANCE
Wall & Floor Tile

Suggested Applications




Installation Suggestions



Porcelain Type



Shade Variation



Slip Resistance



COF	WET		DRY		DCOF	DIN 51130	DIN 51097 Class	Typical Applications	Critical Angle	
	standard*	result	standard*	result						
accessible routes	.6		.6		*rating only available in matte finish	<input checked="" type="checkbox"/> R9*	3-10°	<input checked="" type="checkbox"/> A	Barefoot, but mainly dry aisles and walkways, dry changing areas	≥12°
ramps	.8		.8			<input type="checkbox"/> R10	10-19°	<input type="checkbox"/> B	Shower rooms, pool surrounds, wet changing areas, disinfectant spray areas (plus all Class A areas)	≥18°
						<input type="checkbox"/> R11	19-27°	<input type="checkbox"/> C	Areas constantly under water, e.g. steps into pools, foot baths, inclined pool surrounds, jacuzzis (plus all Class A&B areas)	≥24°
						<input type="checkbox"/> R12	27-35°			
						<input type="checkbox"/> R13	>35°			

ASTM C-1028
DIN 51097/51130

Scratch Resistance



Mineral	
1. Talc (Talc)	6. Microline (Glass, Glazed Tile)
2. Gypsum (Fingernail)	7. Quartz (Unglazed Porcelain)
3. Calcite (Penny)	8. Topaz (Granite)
4. Flourite (Some Marbles)	9. Corundum (Ruby)
5. Apatite (Knife Blade)	10. Diamond (Diamond)

Industry standard ≤175mm²

MOH'S SCALE **8**
UNI EN ISO 10545.6

Wear Resistance

- Class 1: Walls only
- Class 2: Resid. floors w/minimal abrasive traffic.
- Class 3: Resid. interiors normal use and foot traffic.
- Class 4: Light-medium commercial applications.
- Class 5: Commercial applications.

PEI RATING
UNI EN ISO 10545.7

Stain Resistance

ASTM C1378-04
UNI EN ISO 10545.14

5

- 5: Removed after 5 minutes (hot water running)
- 4: Removed by manual cleaning (weak detergent)
- 3: Removed by mechanical cleaning (strong detergent)
- 2: Removed by immersion (24 hrs in suitable solvent)
- 1: Stain not removed


Water Absorption

ASTM C-373
UNI EN ISO 10545.3

Water Absorption	Impervious	Vitreous	Semi-Vitreous	Non-Vitreous
<input checked="" type="checkbox"/> Absorbs 0-.5%	<input type="checkbox"/> Absorbs .5-3%	<input type="checkbox"/> Absorbs 3-7%	<input type="checkbox"/> Absorbs 7% +	
Interior/exterior Frost Resistant	Interior/exterior Frost Resistant	Indoor use only	Indoor use only	

Breaking Strength

ASTM C648
UNI EN ISO 10545.4



Facial Dimension

ASTM C499-09
UNI EN ISO 10545.02

	Standard	Tolerance	Result
flatness	±5mm	±.5%	
thickness	±6mm	±.5%	
straightness	±4.5mm	±.5%	
squareness	±5.4mm	±.6%	
sides L/W	±1.1mm ±4.5mm	±.5%	

Chemical Resistance

ASTM C650
UNI EN ISO 10545.13

Allowances for:

	result
acid	ULA
bases	UA
chemicals	UHA

Leed Information



REQUIREMENTS FOR COMMERCIAL INTERIORS/NEW CONSTRUCTION

Sustainable Sites	1 Point	2 Points
Site selection		
SS CREDIT 1 Heat Island Effect-non roof Material with a solar reflectant index of at least 29.	<input type="checkbox"/>	
Energy & Atmosphere	1 Point	
EA CREDIT 4 Green Power: Products that optimize energy performance for floors and walls using thermal conductivity. BTU-FT	<input type="checkbox"/>	
Indoor Environmental Quality	1 Point	
Low-Emitting Materials-Flooring Systems		
IEQ CREDIT 3.1-7 Green Cleaning: Reducing occupants exposure to hazardous cleaning chemicals.	<input type="checkbox"/>	
IEQ CREDIT 4.1 Low Emitting Adhesives: Products less than 65 G/L VOC	<input type="checkbox"/>	
IEQ CREDIT 4.3 Low Emitting Materials: Flooring systems.	<input type="checkbox"/>	
Materials & Resources	1 Point	2 Points
M&R CREDIT 2 Construction Waste Management: Recycling salvaged construction waste in to new reusable materials.	50% <input type="checkbox"/>	70% <input type="checkbox"/>
M&R CREDIT 4.1-4.2 Recycled Content: The sum of post consumer plus 1/2 of the pre consumer reps at least 10-20% of total value of materials.	10% <input type="checkbox"/>	20% <input type="checkbox"/>
M&R CREDIT 5 Regional Materials: Materials manufactured within 500 miles of the project site.	10% <input type="checkbox"/>	20% <input type="checkbox"/>
Innovation in Design		1-5 Points
ID CREDIT 1 Innovation in Design Measurable exemplary environmental performance.		<input type="checkbox"/>

Type:
24x48, 24x24
Porcelain Matte Finish


Product Line:
RENAISSANCE
Wall & Floor Tile

Marketing Materials



Slab Display Rack

Metal display with ultra-thin stainless steel platform containing 14 sliding panels, 12 of which are sliding and 2 are fixed on the back of the display. The panels can contain slabs up to 120x240cm in size. The panels and the metal display are supplied and shipped on two separate pallets.



Wall & Floor Tile Display Rack

24"x48" / 60cmx120cmx10mm
All 11 Colors Displayed



Sample Boxes

2 Boxes Available (A&B)
Contains Tile Cuts of 6mm Slabs
All 11 colors included

COBSA-USA
NEW YORK | NEW JERSEY | MIAMI

The marketing name for this product is property of CobsA-USA. This same product may be marketed under different names.